


[Home](#) | [Login](#) | [Logout](#) | [Account Information](#) | [Alerts](#) | [Privacy](#)

Welcome United States Patent and Trademark Office

[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "(operational state)-in-metadata"

Your search matched 66 of 1752210 documents

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order


[Search Options](#)
[View Session History](#)
[New Search](#)
[Key](#)

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CONF	IEEE Conference Proceeding
IET CONF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

☐ Check to search only within this results set

Display Format:



IEEE-IET

Application Notes [Beta]

Practical applied content provided by GlobalSpec to explain, illustrate and promote technologies. Not reviewed or endorsed

- Recognition of the operational states in electric arc furnaces
 Raisz, D.; Sakulin, M.; Renner, H.; Tehlivets, Y.;
 Harmonics and Quality of Power, 2000. Proceedings. Ninth International Conference on
 Volume 2, 1-4 Oct. 2000 Page(s) 475 - 480 vol.2
 Digital Object Identifier 10.1109/ICHQP.2000.897725
[AbstractPlus | Full Text PDF \(416 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- Numerical simulation of shock response of a hard disk drive at operational state
 Zeng, Q.H.; Huang, F.Y.; Tsuchida, H.;
 Magnetics Conference, 2005. INTERMAG Asia 2005. Digests of the IEEE International
 4-8 April 2005 Page(s) 117 - 118
[AbstractPlus | Full Text PDF \(66 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- Research on SOM-DBN Based Fault Early Warning System For Dispatching Automation
 Min Fan, Zhihong Liu, Xiyue Huang, Weiren Shi;
 Power System Technology, 2006. PowerCon 2006. International Conference on
 Oct. 2006 Page(s) 1 - 4
 Digital Object Identifier 10.1109/ICPST.2006.321860
[AbstractPlus | Full Text PDF \(5106 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- Operating Condition Recognition of Pre-denitrification Bioprocess Using Robust EMPCA and FCM
 Lijie Zhao, Tianyou Chai, Clumel Cong,
 Intelligent Control and Automation, 2006. WJICA 2006. The Sixth World Congress on
 Volume 2, 21-23 June 2006 Page(s) 9306 - 9309
 Digital Object Identifier 10.1109/WJICA.2006.1713818
[AbstractPlus | Full Text PDF \(352 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- Novel insights into the nonlinear dependency of the airgap magnetic flux density of synchronous gr
 windings in case of various operational states
 Grabner, C.; Schmidt, E.;
 Electrical and Computer Engineering, 2003. IEEE CCECE 2003. Canadian Conference on

Volume 1, 4-7 May 2003 Page(s) 471 - 474 vol 1
 Digital Object Identifier 10.1109/CCECE.2003.1226440
[AbstractPlus](#) | [Full Text](#) PDF(375 KB) | [IEEE CNF](#)
[Rights and Permissions](#)

6. The SURE approach to reliability analysis
 Butler, R.W.,
[Reliability, IEEE Transactions on](#)
 Volume 41, Issue 2, June 1992 Page(s) 210 - 218
 Digital Object Identifier 10.1109/24.257783
[AbstractPlus](#) | [Full Text](#) PDF(680 KB) | [IEEE JNL](#)
[Rights and Permissions](#)
7. Interval-availability distribution of 2-state systems with exponential failures and phase-type repairs
 Sericola, B.,
[Reliability, IEEE Transactions on](#)
 Volume 43, Issue 2, June 1994 Page(s) 335 - 343
 Digital Object Identifier 10.1109/24.295019
[AbstractPlus](#) | [Full Text](#) PDF(432 KB) | [IEEE JNL](#)
[Rights and Permissions](#)
8. NESTOR: an architecture for network self-management and organization
 Yemini, Y.; Konstantinou, A.V.; Floridi, D.;
[Selected Areas in Communications, IEEE Journal on](#)
 Volume 18, Issue 5, May 2000 Page(s) 758 - 766
 Digital Object Identifier 10.1109/49.842991
[AbstractPlus](#) | [References](#) | [Full Text](#) PDF(116 KB) | [IEEE JNL](#)
[Rights and Permissions](#)
9. Energy management systems in the new datacom world
 Gotszinger, F.; Lijia, T.; Gerlach, M.;
[Telecommunications Energy Conference, 2001. INTELEC 2001. Twenty-Third International](#)
 14-18 Oct. 2001 Page(s) 582 - 586
[AbstractPlus](#) | [Full Text](#) PDF(593 KB) | [IEEE CNF](#)
[Rights and Permissions](#)
10. A new synthetic test circuit for the operational tests of HVDC thyristor modules
 Sheng, B.L.; Jansson, E.; Blomberg, A.; Bjarme, H.-O.; Windmar, D.,
[Applied Power Electronics Conference and Exposition, 2001. APEC 2001. Sixteenth Annual IEEE](#)
 Volume 2, 4-8 March 2001 Page(s) 1242 - 1246 vol 2
 Digital Object Identifier 10.1109/APEC.2001.912524
[AbstractPlus](#) | [Full Text](#) PDF(472 KB) | [IEEE CNF](#)
[Rights and Permissions](#)
11. Noise-immune SVM classifier with uneven class sizes in wastewater treatment process
 Xin-Wei Fan, Shu-Xin Du, Tie-Jun Wu;
[Machine Learning and Cybernetics, 2002. Proceedings. 2002 International Conference on](#)
 Volume 3, 4-5 Nov. 2002 Page(s) 1189 - 1193 vol 3
 Digital Object Identifier 10.1109/ICMLC.2002.1167388
[AbstractPlus](#) | [Full Text](#) PDF(353 KB) | [IEEE CNF](#)
[Rights and Permissions](#)
12. Neural analysis of mobile radio access network
 Raitio, K.; Simula, O.; Laiho, J.,
[Data Mining, 2001. ICDM 2001. Proceedings. IEEE International Conference on](#)
 29 Nov.-2 Dec. 2001 Page(s) 457 - 464
 Digital Object Identifier 10.1109/ICDM.2001.989552
[AbstractPlus](#) | [Full Text](#) PDF(900 KB) | [IEEE CNF](#)
[Rights and Permissions](#)

Value-oriented network management

- 13 Schwartz, S.H.; Zager, D.,
Network Operations and Management Symposium, 2000. NOMS 2000. 2000 IEEE/IFIP
10-14 April 2000 Page(s) 715 - 728
Digital Object Identifier 10.1109/NOMS.2000.830424
[AbstractPlus](#) | [Full Text PDF](#)(804 KB) [IEEE CNF](#)
[Rights and Permissions](#)
- 14 Structural domain modeling for understanding equipment failure messages
Wauchope, K.,
Southeastcon '90. Proceedings., IEEE
1-4 April 1990 Page(s) 188 - 193 vol 1
Digital Object Identifier 10.1109/SECON.1990.117798
[AbstractPlus](#) | [Full Text PDF](#)(568 KB) [IEEE CNF](#)
[Rights and Permissions](#)
- 15 Energy management systems in the new datacom world
Goetzinger, F.; Lijs, T.; Gerlach, M.,
Telecommunications Energy Conference, 2001. INTELEC 2001. Twenty-Third International
14-18 Oct. 2001 Page(s) 582 - 586
[AbstractPlus](#) | [Full Text PDF](#)(593 KB) [IEEE CNF](#)
- 16 Distribution management systems
Townsend, J.W.; Cox, P.W.,
Power System Monitoring and Control, 1991., Third International Conference on
26-28 Jun 1991 Page(s) 103 - 108
[AbstractPlus](#) | [Full Text PDF](#)(416 KB) [IEEE CNF](#)
- 17 Development and Evaluation of a TSLGG—Application of an ETC Gun System to its First Stage
Akahoshi, Y.; Kitagawa, J.; Koura, T.; Fukushima, S.; Tadoka, M.,
Magnetics, IEEE Transactions on
Volume 43, Issue 1, Part 2, Jan. 2007 Page(s) 279 - 283
Digital Object Identifier 10.1109/TMAG.2006.887675
[AbstractPlus](#) | [Full Text PDF](#)(430 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- 18 Optimal Reconfiguration Strategies for Reconfigurable Computer Systems with no Repair
Ramamoorthy, C.V.; Ma, Y.W.E.,
Transactions on Computers
Volume C-35, Issue 3, March 1986 Page(s) 278 - 280
Digital Object Identifier 10.1109/TC.1986.1676751
[AbstractPlus](#) | [Full Text PDF](#)(786 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- 19 Derivation and Experimental Validation of a Power-Split Hybrid Electric Vehicle Model
Syed, F.U.; Kuang, M.L.; Czubay, J.; Ying, H.,
Vehicular Technology, IEEE Transactions on
Volume 55, Issue 5, Nov. 2006 Page(s) 1731 - 1747
Digital Object Identifier 10.1109/TVT.2006.878563
[AbstractPlus](#) | [Full Text PDF](#)(1880 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- 20 Dynamics of epileptic phenomena determined from statistics of ictal transitions
Sutczynski, P.; da Silva, F.H.L.; Parra, J.; Velis, D.N.; Bouwman, B.M.; van Rijn, C.M.; van Hese, P.; Boon, C.; Carlen, P.; Kalitzin, S.,
Biomedical Engineering, IEEE Transactions on
Volume 53, Issue 3, March 2006 Page(s) 524 - 532
Digital Object Identifier 10.1109/TBME.2005.868800
[AbstractPlus](#) | [Full Text PDF](#)(896 KB) [IEEE JNL](#)
[Rights and Permissions](#)

On the influence of coding on the mean time to failure for degrading memories with defects

- 21 Vinck, H.; Post, K.;
Information Theory, IEEE Transactions on
Volume 35, Issue 4, July 1989 Page(s) 902 - 906
Digital Object Identifier 10.1109/18.32172
[AbstractPlus](#) | [Full Text PDF](#)(416 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- 22 Final commissioning of the Balcones 60 MJ pulsed power supply
Bray, R.W.; Weldon, J.M.; Wehrlen, D.; Spann, M.;
Magnetics, IEEE Transactions on
Volume 27, Issue 1, Jan 1991 Page(s) 433 - 437
Digital Object Identifier 10.1109/20.101072
[AbstractPlus](#) | [Full Text PDF](#)(396 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- 23 Monitoring and diagnosis of rolling element bearings using artificial neural networks
Aguilande, I.E.; Loskiewicz-Buczak, A.; Uhrig, R.E.;
Industrial Electronics, IEEE Transactions on
Volume 40, Issue 2, April 1993 Page(s) 209 - 217
Digital Object Identifier 10.1109/41.222642
[AbstractPlus](#) | [Full Text PDF](#)(848 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- 24 Integrity methodology for interoperable environments
Prnjat, O.; Sacks, L.E.;
Communications Magazine, IEEE
Volume 37, Issue 5, May 1999 Page(s) 126 - 132
Digital Object Identifier 10.1109/35.762868
[AbstractPlus](#) | [Full Text PDF](#)(768 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- 25 Network planning in wireless ad hoc networks: a cross-layer approach
Wu, Y.; Chou, P.A.; Qian Zhang, J.; Jain, K.; Wenwu Zhu, Sun-Yuan Kung,
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 1, Jan 2005 Page(s) 136 - 150
Digital Object Identifier 10.1109/USAC.2004.837362(410) 23
[AbstractPlus](#) | [Full Text PDF](#)(848 KB) [IEEE JNL](#)
[Rights and Permissions](#)

[Help](#) [Car](#)